

GRABO

PERFORMANCE



Dear Partner,

We are very pleased to guide you through our new Performance catalogue of our Show floorings branch. Based on more than 100 years of experience in very different kind of industries, herewith we collected all our knowledge to serve you. With this book we brought you a wide range of different kind of floorings, fulfilling versatile needs and requirement of the entertainment industry, to help you to create an even more spectacular event, performance or cultural area. As you will see, in this offer we are combining our experience from the commercial and sport fields as well, to be sure you can find the best solution let it be about a stage for any kind of dances, a catwalk, an exhibition center or a booth, a theater or a cinema, or even a casino from the nightlife's part of the entertainment industry.

Main advantages of grabo Show floorings:

Wide product range

from dance to every kind of entertainment areas

Dimension stable

due to glass fiber reinforcement

Phthalate free, solvent free

environmentally friendly production technology and lifetime

Easy to install

due to the flexibility and the weight, for portable and permanent install as well

Easy to clean

due to the plain surface and the graboSan treatment (anti-microbas), no additional treatment required



Phthalate free technology: This means that our floorings contain biologically inert plasticizer.



Graboplast produces every product without using any solvents, in order to protect the environment.



We pay attention to the fact that our products do not impact the environment at the end of their life-cycle.



This is a treatment which minimizes the growth of microorganisms.



This is a cross-linked polymer system in the wear layer, which assures easy maintenance and high wear resistance for the whole life time of products (contrary to the surface-varnishes/treatments).



This technology makes the surface not only extremely hard and wear resistant but flexible so the installation can be carried out easily and quickly.



These products are dimension stable due to the glass fibre reinforcement in the structure.



Recommended for portable and permanent installation.

If you are looking for a floor covering for an application below, you are on the best place:

Dances

- Ballet
- Contemporary
- Jazz
- Aerobic
- Flamenco, tap
- Dance halls
- Multi-dance
- Dance studios
- Warm-up rooms

Entertainment

- Stages
- Catwalks
- Theatres
- Cinemas
- Concerts, tours
- TV studios and sets
- Record studios
- Shows

NightLife


- Casinos
- Bars
- Night clubs
- Discos

Cultural events

- Balls
- Parties
- Exhibitions
- Weddings

or for any combination of these....

If you do not find exactly what you need, in performance or color, please contact us, as there are many more products and designs we were not able to include in this book but might be in our warehouse already.



Grabo's recommendation

[illegible]

GRABO UNIFLOOR

Grabo Unifloor is a design covering in rich choice of colors. It is recommended to use as a portable floor at any kind of special events or as a very durable and easy to maintenance wall protection material. Due to its cushion-backing and hard surface, Grabo Unifloor is a good choice for different kind of dances too. The 0.35 mm thick wear layer makes it appropriate for permanent installations as well.

PRODUCT BENEFITS:

- wide color range
- easy to roll out and in
- dimension stable
- lightweight – can be hanged on walls
- extremely flexible

RECOMMENDED APPLICATION AREAS:

- events, shows
- stages (in- or outdoor)
- exhibitions
- catwalks
- dance (ballet, contemporary, jazz)



EVENTS
SHOWS
EXHIBITIONS
DANCE

UNIFLOOR 6402

UNIFLOOR 6271

UNIFLOOR 6152

UNIFLOOR 6027

UNIFLOOR 6115

UNIFLOOR 7120

UNIFLOOR 5910

UNIFLOOR 4212

UNIFLOOR 9737

UNIFLOOR 3089

UNIFLOOR 3223

UNIFLOOR 3060

UNIFLOOR 7203

UNIFLOOR 3110

UNIFLOOR 1137

UNIFLOOR 2010

UNIFLOOR 1217

UNIFLOOR 1220

UNIFLOOR 7015

UNIFLOOR 1240

UNIFLOOR 1571

UNIFLOOR 1596

UNIFLOOR 7303

UNIFLOOR 1991

UNIFLOOR 7181

UNIFLOOR 7539

GRABO LAS VEGAS


Grabo Las Vegas and Las Vegas LUX are dedicated to spectacular performances or entertainment events. The shiny and the glossy surfaces increase the lighting effects, giving to your show an even more amazing atmosphere. If you want to emphasize what is going on in front of the scenes, use this shimmering background to fascinate your audience. Can be used as floor or wall coverings as well.

PRODUCT BENEFITS:

- high shine smooth surface
- dimension-stable
- light weight

RECOMMENDED APPLICATION AREAS:

- TV studios
- stages (drama and tour)
- events, shows
- exhibitions, catwalks



GRABO ACOUSTIC 7 UNI

Grabo Acoustic 7 Uni is an acoustical, heavy duty flooring with smooth uni surface. Due to its flexible cushion backing it is an ultimate solution for areas where sound isolation, comfort and hard-wearing characteristics are required, let it be a dance stage or a studio.

PRODUCT BENEFITS:

- multi-purpose
- acoustical (19 dB)
- protection against hard subfloor
- hard-wearing floor
- dimension stable
- easy to clean

RECOMMENDED APPLICATION AREAS:

- studio (TV, music, radio etc.)
- event, show
- stage
- exhibition, catwalk
- dance (contemporary, jazz)
- anywhere acoustical characteristic is an issue



GRABO BROADWAY 17

Grabo Broadway 17 is a reversible covering for dance/ballet performances. It is available in different color combinations. The glass fiber reinforcement provides dimension-stability to the floor, means you can roll-in roll-out and change sides as many times as you want, you will not get into any trouble by stretching or ripping. It can be used as a temporary covering as well to protect the original floor during any events or shows.

- PRODUCT BENEFITS:**
- reversible
 - flexible
 - dimension-stable
 - durable
 - easy to use

- RECOMMENDED APPLICATION AREAS:**
- dance (especially ballet)
 - stages (drama and tour)
 - events / shows – as a protective covering



min. order 1000 sqm

BROADWAY 17 1999/1999*

BROADWAY 17 1991/1001

BROADWAY 17 6271/1991

BROADWAY 17 1991/1535

BROADWAY 17 1536/1536*

BROADWAY 20 1991

BROADWAY 20 1220

BROADWAY 20 1137

BROADWAY 20 2010



GRABO BROADWAY 20

Grabo Broadway 20 is a hard-wearing floor covering with an embossed, non-slip surface. Its structure and top layer makes this floor practical, does not matter which type of dances it is about. Product benefits:

- PRODUCT BENEFITS:**
- Non-slip but even surface
 - Extremely flexible but stable
 - Dimension-stable
 - Durable
 - Hot or cold welding

- RECOMMENDED APPLICATION AREAS:**
- dance (any type)
 - stages (drama and tour)
 - events / shows – as a protective covering



GRABO DUETT

The Duett is an optimal possibility for dance and ballet applications. Duett is a flexible and reversible dance floor, so it is highly recommended both for temporary and semi-permanent usage. The four color combination provides ideal choice for stages, tours and studio installations. Due to it's light weight, Duett lies quickly on the floor, making it perfect to be rolled out and rolled up. The flooring has to be glued with double-sided adhesive tape.



DUETT 6270/4252

DUETT 6875/1535

DUETT 6875/1008

EVIDENCE 25 1290

DUETT 1220/1571

GRABO EVIDANCE 25

Grabo Evidance 25 is a hard-wearing floor covering with an embossed, non-slip surface. Its structure and top layer makes this floor practical and perfect choice especially for permanent ballet and dance applications.

- PRODUCT BENEFITS:**
- non-slip but even surface
 - extremely flexible but stable
 - dimension-stable
 - durable
 - hot or cold welding

- RECOMMENDED APPLICATION AREAS:**
- dance (any type)
 - stages (drama and tour)
 - events / shows – as a protective covering



GRABO EVIDANCE 60

Grabo Evidance 60 is a hard-wearing floor covering with an embossed, non-slip surface. Due to its structure and thickness we recommend it particularly for contemporary dances and aerobic.

- PRODUCT BENEFITS:**
- non-slip but even surface
 - extremely flexible but stable
 - dimension-stable
 - durable
 - hot or cold welding

- RECOMMENDED APPLICATION AREAS:**
- dance (contemporary, jazz, aerobic)
 - stages



EVIDENCE 60 1991

EVIDENCE 25 1991

EVIDENCE 60 1290



CRYSTAL 0111

GRABO CRYSTAL

Grabo Crystal is a transparent show floor covering with a decorative surface. It is recommended for every type of an entertainment event either as a permanent floorcovering or as a protective although attractive temporary cover on the existing flooring. The glittering particles within the transparent surface layer add a considerable show and view effect to the performance.

- PRODUCT BENEFITS:**
- very durable
 - transparent surface layer with glitters
 - dimension stable
 - easy installation

- RECOMMENDED APPLICATION AREAS:**
- show-rooms
 - exhibition halls
 - performances on any stage
 - any kind of entertainment event



CINEMA
NIGHTLIFE AREA
EVENTS

GRABO EXTREME 80

Grabo Extreme 80 provides an excellent floor surface with a high level of shock absorption. It is a perfect roll-out floor covering for dance types where joint protection is an issue, for warm-up rooms, fitness areas or aerobic studios.

- PRODUCT BENEFITS:**
- excellent joints protection
 - protect against hard subfloor
 - acoustical
 - hard-wearing floor
 - dimension stable
 - easy to clean
 - heat or cold welding

- RECOMMENDED APPLICATION AREAS:**
- studios (dance, radio etc.)
 - dance (contemporary, jazz, ballet)
 - warm-up rooms
 - fitness, aerobic etc. areas
 - anywhere joint protection is an issue




EXTREME 80 7483

EXTREME 80 2519

EXTREME 80 2209


EXTREME 80 6170



BRILLANT 1223



BRILLANT 1251*



BRILLANT 3094*

BRILLANT 1004

GRABO BRILLANT

Grabo Brilliant is a high wear-resistant show floor covering that is proposed for performances and events providing enhanced visual effects. The glittering particles in the surface have a remarkable impact on the attraction and raise the luster effect of the lights. Grabo Brilliant retains its durability even in case of heavy use. The floor covering can be maintained in an easy way. All these features provide a cost-effective and attractive floor covering solution in any entertainment facilities.

- PRODUCT BENEFITS:**
- excellent joints protection
 - protect against hard subfloor
 - acoustical
 - hard-wearing floor
 - dimension stable
 - easy to clean
 - heat or cold welding

- RECOMMENDED APPLICATION AREAS:**
- studios (dance, radio etc.)
 - dance (contemporary, jazz, ballet)
 - warm-up rooms
 - fitness, aerobic etc. areas
 - anywhere joint protection is an issue



min. order 1000 sqm



BRILLANT 1991

BRILLANT 1579

BRILLANT 5885

BRILLANT 6480

BRILLANT 4230*

BRILLANT 7540*

PERFORMANCE

Specifications

Construction	units	standards
--------------	-------	-----------

DESCRIPTION

Construction		
Total thickness	mm	EN 428
Wear layer thickness	mm	EN 429
Width of roll	m	EN 426
Length of rolls	lm	EN 426
Total weight	kg/m ²	EN 430

PERFORMANCE

Residual indentation	max.mm	EN 433
	mm	EN 1516
Dimensional stability	max. %	EN 434
Curling	max.mm	MSZ EN 434
Fire resistance	class	EN 13501-1
	class	DIN 4102/ÖNORM
Abrasion group	group	MSZ EN 660-1
Abrasion resistance	max. m	MSZ EN 423
Impact sound reduction	DLw (dB)	EN ISO717-2,140-8
Light fastness grade	grade	EN 20105 B02
Chemical resistance		EN 423
Slip resistance	class	EN 13893
Castor chair resistance		EN 425
Flexibility (diameter 20/40mm)	visual evaluation	MSZ EN 435
Surface treatment		
Anti-bacterial and fungicid treatment		
Seaming method		

Unifloor 030/I	Acoustic 7 Uni	Las Vegas	Las Vegas Lux	Duett	Broadway 17	Broadway 20	Evidence 25	Evidence 60	Extreme 80	Brilliant	Crystal
heterogeneous				compact heterogeneous				heterogeneous		compact heterogeneous	
2.0	3.2	2.0	2.0	1.4	1.7	2.0	2.5	6.0	8.0	2.0	1.7
0.35	0.7	0.35	0.35	0.5	0.7	0.7	0.7	0.7	1.3	0.55	0.9
2	2	2	1,5	2	2	2	2	2	2	2	2
25	25	25	25	20	20	20	20	15	15	25	20
1.3	2.2	1.3	1.3	1.7	2.1	2.7	3.5	3.5	4.2	2.1	2.1
0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1			0.2	0.1
								0.1	0.46		
± 0.2	± 0.2	± 0.2	± 0.2	± 0.2	± 0.2	± 0.2	± 0.2	± 0.2	± 0.2	± 0.2	± 0.2
8	8	8	8	8	8	8	8	8	8	8	8
C _{fi} -S1	B _{fi} -S1	B _{fi} -S1	B _{fi} -S1	B _{fi} -S1	B _{fi} -S1	B _{fi} -S1	C _{fi} -S1	C _{fi} -S1	C _{fi} -S1	C _{fi} -S1	C _{fi} -S1
B1	B1	B1	B1	B1	B1	B1	B1	B1	B1	B1	B1
T	T	T	T	T	T	T	T	T	T	T	T
<250	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250
	19										
>6	>6	>6	>6	>6	>6	>6	>6	>6	>6	>6	>6
no change	no change	no change	no change	no change	no change	no change	no change	no change	no change	no change	no change
DS	DS	DS	DS	DS	DS	DS	DS	DS	DS	DS	DS
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
no change	no change	no change	no change	no change	no change	no change	no change	no change	no change	no change	no change
CLP	TECH Surface	PUR	CLP	CLP	CLP	CLP	CLP	CLP	CLP	CLP	CLP
graboSAN											
heat or cold weld											



CLP – Cross Linked Polymer
TECH Surface – Technologically Explored Ceramic Hard Surface
graboSAN – sanitized - antibacterial, fungicid treatment

PERFORMANCE



Graboplast
Floor Covering Manufacturers Ltd.
H-9023 Győr, Fehérvári út. 16/b. Telefon: (+36) 96 506-100
www.graboplast.com

